(b) The details of the monthly releases out of the buffer stock of sugar are as under:—

(*Lakh Tonnes*)

Month	Quantity Released
June, 1984	2.00
July, 1984	1.50
August, 1984	1.50
September, 1984	1.50
October, 1984	1.50
November, 1984	2.00

The subsidy for interest, insurance and storage charges for maintenance of buffer stock to the extent of Rs. 58·95 crores was sanctioned upto November, 1985.

Subsidy claims involving an amount of Rs. 25 crores approximately are pending scrutiny. The amount of subsidy actually payable will depend on the correctness of the claims.

Subsidy on buffer stock of sugar is allowed at 18% on the value of buffer stock or the actual rate paid, whichever is lower. Storage and insurance charges at $1\frac{1}{2}\%$ are also allowed in addition.

District Centre in Pitampura, Delhi

2080. SHRI J. P. GOYAL : Will the Minister of URBAN DEVELOPMENT be pleased to state:

(a) the date on which the land for the District Centre in Pitampura, Delhi opposite the Wazirpur D.T.C. Bus Depot on Ring Road was earmarked by the D. D. A.; and

(b) the progress so far made in regard to the construction of the District Centre?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI DALBIR SINGH): (a) The site for the Centre was earmarked in the Master Plan for Delhi notified in September, 1962.

(b) The detailed conceptual plans for this District Centre have been submitted to the Delhi Urban Art Commission for approval.

Storm water Drains in Maurya Enclave, Delhi

2081. SHRI J.P. GOYAL : Will the Minister of URBAN DEVELOPMENT be pleased to state :

(a) when the work of construction storm water drains in Maurya Enclave (Pitampura) a D. D. A. colony was started :

(b) whether the construction of storm water drains in all the blocks has been completed ; and

(c) if not, what are the reasons therefor and by when the construction of storm water drains in all the blocks in Maurya Enclave is likely to be completed ?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI DALBIR SINGH) : (a) In August, 1984.

(b) No, Sir,

(c) All the main drains have been completed and few internal storm water drains have also been completed. The work of remaining S.W. drains could not be completed because of hinderances such as Teak Woods trees water supply and sewer lines, electric cables, etc. coming in the alignment It is likely to be completed by the end of June, 1986.